

Oneway

Porcelánico / Porcelain tiles

Colores | Colors



WHITE LAPADO



COPPER LAPADO



STEEL LAPADO



NIGHT LAPADO

Formato | Size

260 x 120 cm. | 102,36" x 47,24"

Espesor | Thickness

7 mm.

Oneway Steel Lapado 260 x 120 cm. Pavimento Oneway Night Lapado 80 x 80 cm.



Oneway

Porcelánico / Porcelain tiles



Oneway White Lapado
260 x 120 cm.

BP2612C

Variación gráfica | Different patterns: 3

Espesor | Thickness: 7 mm.



Oneway Copper Lapado
260 x 120 cm.

BP2612RC

Variación gráfica | Different patterns: 3

Espesor | Thickness: 7 mm.

Formato / Size	M²/Piece	Kg/Piece	Piece/Box	M²/Box	Kg/Crate Content	Kg/Box	Kg/Palet
260 x 120 B Plus	3,12	45,50	18	56,16	936	100	1036

Formatos disponibles Available sizes	260 x 120	240 x 120	120 x 120	60 x 120	60 x 60	30 x 60	29,5 x 120	20 x 120	80 x 160	80 x 80	26 x 160	60 x 60 Espesorado	60 x 90 Espesorado	60 x 120 Espesorado	80 x 80 Espesorado	120 x 120 Espesorado
Oneway White Lapado	•			•	•	•			•	•						
Oneway Copper Lapado	•			•	•	•			•	•						


 Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to fix the tiles
Ver pag. 218 / See page 218

Oneway White Lapado 260 x 120 cm. Pavimento Oneway Copper Lapado 80 x 80 cm.



Oneway

Porcelánico / Porcelain tiles



Oneway Steel Lapado
260 x 120 cm. BP2612C

Variación gráfica | Different patterns: 3
Espesor | Thickness: 7 mm.

Formato / Size	M²/Piece	Kg/Piece	Piece/Box	M²/Box	Kg/Crate Content	Kg/Box	Kg/Palet
260 x 120 B Plus	3,12	45,50	18	56,16	936	100	1036

Formatos disponibles Available sizes	260 x 120	240 x 120	120 x 120	60 x 120	60 x 60	29,5 x 120	20 x 120	80 x 160	80 x 80	26 x 160	60 x 60 Espesorado	60 x 90 Espesorado	60 x 120 Espesorado	80 x 80 Espesorado	120 x 120 Espesorado
Oneway Steel Lapado	•			•	•			•	•						
Oneway Night Lapado	•			•	•			•	•						

Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to fix the tiles
Ver pag. 218 / See page 218

C



Oneway Night Lapado
260 x 120 cm. BP2612RC

Variación gráfica | Different patterns: 3
Espesor | Thickness: 7 mm.

Oneway Night Lapado 260 x 120 cm. Pavimento Oneway Night Lapado 80 x 80 cm.



Oneway
Porcelánico / Porcelain tiles



B|PLUS
LARGE SIZE SURFACES



Oneway White Lapado
260 x 120 cm.
BP2612C



Oneway White Lapado
80 x 80 cm.
PR8080C



Oneway White Lapado
80 x 160 cm.
P8016C



Oneway White Lapado
60 x 60 cm. Rectificado
PR6060C



Oneway White Lapado
60 x 120 cm.
P6012C

Variación gráfica | Different patterns: 4
Espesor | Thickness: 7 mm.

Formato / Size	Pz/Box	M²/Box	Kg/Box	M²/Pa	Box/Pa	Kg/Pa	Rodapié Corte / Cut Skirting	Size	TR	PCK
80 x 160	1	1,28	26,00	53,76	42	1.092	80 x 160 Lapado RC8016	10 x 80	37	14
60 x 120	2	1,44	29,00	50,40	35	1.015	80 x 80 Lapado RC8080	10 x 80	33	14
80 x 80	2	1,28	26,00	61,44	48	1.248	60 x 120 Lapado RC6012	10 x 60	31	15
60 x 60	3	1,08	22,00	51,84	48	1.056	60 x 60 Lapado RC6060	10 x 60	26	15

Ver el packing de B|Plus en la página / See B|Plus packing on the page 203

Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to fix the tiles
Ver pág. 206 / See page 206

Oneway White Lapado 260 x 120 cm. Pavimento Oneway Copper Lapado 80 x 80 cm.



Oneway

Porcelánico / Porcelain tiles



B|PLUS

LARGE SIZE SURFACES



Oneway Copper Lapado
260 x 120 cm.

BP2612RC



Oneway Copper Lapado
80 x 80 cm.

PR8080RC



Oneway Copper Lapado
80 x 160 cm.

P8016RC



Oneway Copper Lapado
60 x 60 cm. Rectificado

PR6060RC



Oneway Copper Lapado
60 x 120 cm.

P6012RC

Variación gráfica | Different patterns: 4

Espesor | Thickness: 7 mm.

Formato / Size	Pz/Box	M²/Box	Kg/Box	M²/Pa	Box/Pa	Kg/Pa	Rodapié Corte / Cut Skirting	Size	TR	PCK
80 x 160	1	1,28	26,00	53,76	42	1.092	80 x 160 Lapado RC8016	10 x 80	37	14
60 x 120	2	1,44	29,00	50,40	35	1.015	80 x 80 Lapado RC8080	10 x 80	33	14
80 x 80	2	1,28	26,00	61,44	48	1.248	60 x 120 Lapado RC6012	10 x 60	31	15
60 x 60	3	1,08	22,00	51,84	48	1.056	60 x 60 Lapado RC6060	10 x 60	26	15

Ver el packing de B|Plus en la página / See B|Plus packing on the page 203

Se aconseja uso del Sistema Nivelado
We recomend using Levelling System to fix the tiles
Ver pág. 206 / See page 206

Oneway Copper Lapado 80 x 160 cm. Pavimento Oneway Copper Lapado 80 x 160 cm.



Oneway
Porcelánico / Porcelain tiles



B|PLUS
LARGE SIZE SURFACES



Oneway Steel Lapado
260 x 120 cm.
BP2612C



Oneway Steel Lapado
80 x 80 cm.
PR8080C



Oneway Steel Lapado
80 x 160 cm.
P8016C



Oneway Steel Lapado
60 x 60 cm. Rectificado
PR6060C



Oneway Steel Lapado
60 x 120 cm.
P6012C

Variación gráfica | Different patterns: 4
Espesor | Thickness: 7 mm.

Formato / Size	Pz/Box	M²/Box	Kg/Box	M²/Pa	Box/Pa	Kg/Pa	Rodapié Corte / Cut Skirting	Size	TR	PCK
80 x 160	1	1,28	26,00	53,76	42	1.092	80 x 160 Lapado RC8016	10 x 80	37	14
60 x 120	2	1,44	29,00	50,40	35	1.015	80 x 80 Lapado RC8080	10 x 80	33	14
80 x 80	2	1,28	26,00	61,44	48	1.248	60 x 120 Lapado RC6012	10 x 60	31	15
60 x 60	3	1,08	22,00	51,84	48	1.056	60 x 60 Lapado RC6060	10 x 60	26	15

Ver el packing de B|Plus en la página / See B|Plus packing on the page 203

Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to fix the tiles
Ver pág. 206 / See page 206

Oneway Steel Lapado 60 x 120 cm. Pavimento Oneway Steel Lapado 60 x 60 cm. Rectificado



Oneway

Porcelánico / Porcelain tiles



B|PLUS

LARGE SIZE SURFACES



Oneway Night Lapado
260 x 120 cm.

BP2612RC



Oneway Night Lapado
80 x 80 cm.

PR8080RC



Oneway Night Lapado
80 x 160 cm.

P8016RC



Oneway Night Lapado
60 x 60 cm. Rectificado

PR6060RC



Oneway Night Lapado
60 x 120 cm.

P6012RC

Variación gráfica | Different patterns: 4

Espesor | Thickness: 7 mm.

Formato / Size	Pz/Box	M²/Box	Kg/Box	M²/Pa	Box/Pa	Kg/Pa	Rodapié Corte / Cut Skirting	Size	TR	PCK
80 x 160	1	1,28	26,00	53,76	42	1.092	80 x 160 Lapado RC8016	10 x 80	37	14
60 x 120	2	1,44	29,00	50,40	35	1.015	80 x 80 Lapado RC8080	10 x 80	33	14
80 x 80	2	1,28	26,00	61,44	48	1.248	60 x 120 Lapado RC6012	10 x 60	31	15
60 x 60	3	1,08	22,00	51,84	48	1.056	60 x 60 Lapado RC6060	10 x 60	26	15

Ver el packing de B|Plus en la página / See B|Plus packing on the page 203

Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to fix the tiles
Ver pág. 206 / See page 206

Oneway Night Lapado 260 x 120 cm. Pavimento Oneway Night Lapado 80 x 80 cm.

